

Publikationen aus dem DOK-Versuch (peer reviewed)

Wissenschaftliche Publikationen

1. Arncken, C. M., Mäder, P., Mayer, J., & Weibel, F. P. (2012). Sensory, yield and quality differences between organically and conventionally grown winter wheat. *Journal of the Science of Food and Agriculture* 92, 2819-2825.
2. Autret, B., Mary, B., Strullu, L., Chlebowski, F., Mäder, P., Mayer, J., Olesen, J. E., & Beaudoin, N. (2020). Long-term modelling of crop yield, nitrogen losses and GHG balance in organic cropping systems. *Science of the Total Environment* 710, 134597.
3. Bai, Z., Caspari, T., Gonzalez, M. R., Batjes, N. H., Mäder, P., Bünemann, E. K., De Goede, R., Brussaard, L., Xu, M., Ferreira, C. S. S., Reintam, E., Fan, H., Mihelčíč, R., Glavan, M., & Tóth, Z. (2018). Effects of agricultural management practices on soil quality: A review of long-term experiments for Europe and China. *Agriculture, Ecosystems & Environment* 265, 1-7.
4. Berchtold, A., Besson, J. M., & Feller, U. (1993). Effects of fertilization levels in two farming systems on senescence and nutrient contents in potato leaves. *Plant and Soil* 154(1), 81-88.
5. Besson, J. M., Spiess, E., & Niggli, U. (1995). N uptake in relation to N application during two crop rotations in the DOC field trial. *Biological agriculture & horticulture* 11(1-4), 69-75.
6. Birkhofer, K., Bezemer, T. M., Bloem, J., Bonkowski, M., Christensen, S., Dubois, D., Ekelund, F., Fiessbach, A., Gunst, L., Hedlund, K., Mader, P., Mikola, J., Robin, C., Setala, H., Tatin-Froux, F., Van Der Putten, W. H., & Scheu, S. (2008). Long-term organic farming fosters below and aboveground biota: Implications for soil quality, biological control and productivity. *Soil Biology & Biochemistry* 40(9), 2297-2308.
7. Birkhofer, K., Fiessbach, A., Wise, D. H., & Scheu, S. (2008). Generalist predators in organically and conventionally managed grass-clover fields: implications for conservation biological control. *Annals of Applied Biology* 153(2), 271-280.
8. Birkhofer, K., Fiessbach, A., Wise, D. H., & Scheu, S. (2011). Arthropod food webs in organic and conventional wheat farming systems of an agricultural long-term experiment: a stable isotope approach. *Agricultural and Forest Entomology* 13(2), 197-204.
9. Birkhofer, K., Fiessbach, A., Gavin-Centol, M. P., Hedlund, K., Ingimarsdóttir, M., Jørgensen, H. B., Kozjek, K., Meyer, S., Montserrat, M., Moreno, S. S., Laraño, J. M., Scheu, S., Serrano-Carnero, D., Truu, J., & Kundel, D. (2021). Conventional agriculture and not drought alters relationships between soil biota and functions. *Scientific Reports* 11(1), 23975.
10. Bongiorno, G., Bünemann, E. K., Oguejiofor, C. U., Meier, J., Gort, G., Comans, R., Mäder, P., Brussaard, L., & De Goede, R. (2019). Sensitivity of labile carbon fractions to tillage and organic matter management and their potential as comprehensive soil quality indicators across pedoclimatic conditions in Europe. *Ecological Indicators* 99, 38-50.
11. Bongiorno, G., Postma, J., Bünemann, E. K., Brussaard, L., De Goede, R. G. M., Mäder, P., Tamm, L., & Thuerig, B. (2019). Soil suppressiveness to *Pythium ultimum* in ten European long-term field experiments and its relation with soil parameters. *Soil Biology & Biochemistry* 133, 174-187.
12. Bongiorno, G., Bodenhausen, N., Bünemann, E. K., Brussaard, L., Geisen, S., Mäder, P., Quist, C. W., Walser, J.-C., & De Goede, R. G. M. (2019). Reduced tillage, but not organic matter input, increased nematode diversity and food web stability in European long-term field experiments. *Molecular Ecology* 28(22), 4987-5005.
13. Bongiorno, G., Bünemann, E. K., Brussaard, L., Mäder, P., Oguejiofor, C. U., & De Goede, R. G. M. (2020). Soil management intensity shifts microbial catabolic profiles across a range of European long-term field experiments. *Applied Soil Ecology* 154, 103596.
14. Bonte, A., Neuweger, H., Goesmann, A., Thonar, C., Mäder, P., Langenkämper, G., & Niehaus, K. (2014). Metabolite profiling on wheat grain to enable a distinction of samples from organic and conventional farming systems. *Journal of the Science of Food and Agriculture* 94(13), 2605-2612.
15. Bosshard, C., Frossard, E., Dubois, D., Mäder, P., Manolov, I., & Oberson, A. (2008). Incorporation of nitrogen-15-labeled amendments into physically separated soil organic matter fractions. *Soil Science Society of America Journal* 72(4), 949-959.
16. Bosshard, C., Sørensen, P., Frossard, E., Dubois, D., Mäder, P., Nanzer, S., & Oberson, A. (2009). Nitrogen use efficiency of 15 N-labelled sheep manure and mineral fertiliser applied to microplots in long-term organic and conventional cropping systems. *Nutrient Cycling in Agroecosystems* 83(3), 271-287.
17. Brock, C., Fiessbach, A., Oberholzer, H.-R., Schulz, F., Wiesinger, K., Reinicke, F., Koch, W., Pallutt, B., Dittman, B., Zimmer, J., Hülsbergen, K.-J., & Leithold, G. (2011). Relation between soil organic matter and yield levels of nonlegume crops in organic and conventional farming systems. *Journal of Plant Nutrition and Soil Science* 174(4), 568-575.
18. Brock, C., Hoyer, U., Leithold, G., & Hülsbergen, K.-J. (2012). The humus balance model (HU-MOD): a simple tool for the assessment of management change impact on soil organic matter levels in arable soils. *Nutrient Cycling in Agroecosystems* 92(3), 239-254.
19. Chalker-Scott, L. (2013). The science behind biodynamic preparations: A literature review. *Hortotechnology* 23(6), 814-819.
20. Chowdhury, S. P., Babin, D., Sandmann, M., Jacquiod, S., Sommermann, L., Sørensen, S. J., Fiessbach, A., Mäder, P., Geislinger, J., Smalla, K., Rothballer, M., & Grosch, R. (2019). Effect of long-term organic and mineral fertilization strategies on rhizosphere microbiota assemblage and performance of lettuce. *Environmental Microbiology*.
21. Dubois, D., Scherrer, C., Gunst, L., Jossi, W., & Stauffer, W. (1998). Effect of different farming systems on the weed seed bank in the long term-trials Chaiblen and DOK. *Journal of Plant Diseases and Protection* (Special issue XVI), 67-74.
22. Dos Reis Martins, M., Necpalova, M., Ammann, C., Buchmann, N., Calanca, P., Flechar, C. R., Hartman, M. D., Krauss, M., Le Roy, P., Mäder, P., Maier, R., Morvan, T., Nicolardot, B., Skinner, C., Six, J., & Keel, S. G. (2022). Modeling N₂O emissions of complex cropland management in Western Europe using DayCent: Performance and scope for improvement. *European Journal of Agronomy* 141, 126613.
23. Esperenschütz, J., Gattinger, A., Mäder, P., Schloter, M., & Fiessbach, A. (2007). Response of soil microbial biomass and community structures to conventional and organic farming systems under identical crop rotations. *FEMS Microbiology Ecology* 61(1), 26-37.
24. Fiessbach, A., & Mäder, P. (2000). Microbial biomass and size-density fractions differ between soils of organic and conventional agricultural systems. *Soil Biology & Biochemistry* 32(6), 757-768.
25. Fiessbach, A., & Mäder, P. (2004). Short- and long-term effects on soil microorganisms of two potato pesticide spraying sequences with either glufosinate or dinoseb as defoliants. *Biology and Fertility of Soils* 40(4), 268-276.
26. Fiessbach, A., Imhof, D., Brunner, T., & Wüthrich, C. (1999). Tiefeverteilung und zeitliche Dynamik der mikrobiellen Biomasse in biologisch und konventionell bewirtschafteten Böden. *Regio Basiliensis* 3(40), 253-263.
27. Fiessbach, A., Mäder, P., & Niggli, U. (2000). Mineralization and microbial assimilation of 14 C-labeled straw in soils of organic and conventional agricultural systems. *Soil Biology & Biochemistry* 32(8-9), 1131-1139.

28. Fließbach, A., Messmer, M., Nielispach, B., Infante, V., & Mäder, P. (2012). Effects of conventionally bred and *Bacillus thuringiensis* (Bt) maize varieties on soil microbial biomass and activity. *Biology and Fertility of Soils* 48(3), 315-324.
29. Fließbach, A., Nielispach, B., Messmer, M., Rodríguez-Romero, A.-S., & Mäder, P. (2013). Microbial response of soils with organic and conventional management history to the cultivation of *Bacillus thuringiensis* (Bt)-maize under climate chamber conditions. *Biology and Fertility of Soils* 49(7), 829-837.
30. Fließbach, A., Oberholzer, H.-R., Gunst, L., & Mäder, P. (2007). Soil organic matter and biological soil quality indicators after 21 years of organic and conventional farming. *Agriculture, Ecosystems & Environment* 118, 273-284.
31. Fließbach, A., Winkler, M., Lutz, M. P., Oberholzer, H.-R., & Mäder, P. (2009). Soil amendment with *Pseudomonas fluorescens* CHA0: lasting effects on soil biological properties in soils low in microbial biomass and activity. *Microbial Ecology* 57(4), 611-623.
32. Frossard, E., Buchmann, N., Büinemann, E. K., Kiba, D. I., Lombo, F., Oberson, A., Tamburini, F., Traore, O.Y.A. (2016). Soil properties and not inputs control carbon:nitrogen:phosphorus ratios in cropped soils in the long term. *SOIL* 2, 83-99.
33. Fuchs, J. G., Fließbach, A., Mäder, P., Weibel, F. P., Tamm, L., Mayer, J., & Schleiss, K. (2014). Effects of compost on soil fertility parameters in short-, mid- and long-term field experiments. *Acta Horticulturae* 1018, 39-46.
34. García-Palacios, P., Gattinger, A., Bracht-Jørgensen, H., Brussaard, L., Carvalho, F., Castro, H., Clément, J.-C., De Deyn, G., D'Hertefeldt, T., Foulquier, A., Hedlund, K., Lavorel, S., Legay, N., Lori, M., Mäder, P., Martínez-García, L. B., Martins Da Silva, P., Muller, A., Nascimento, E., Reis, F., Symanczik, S., Paulo Sousa, J., & Milla, R. (2018). Crop traits drive soil carbon sequestration under organic farming. *Journal of Applied Ecology* 55(5), 2496-2505.
35. Gasser, M., Hammelehl, A., Oberson, A., Frossard, E., & Mayer, J. (2015). Quantitative evidence of overestimated rhizodeposition using N-15 leaf-labelling. *Soil Biology & Biochemistry* 85, 10-20.
36. Gattinger, A., Muller, A., Haeni, M., Skinner, C., Fließbach, A., Buchmann, N., Mäder, P., Stolze, M., Smith, P., Scialabba, N. E.-H., & Niggli, U. (2012). Enhanced top soil carbon stocks under organic farming. *Proceedings of the National Academy of Sciences* 109(44), 18226-18231.
37. Grüter, R., Costerousse, B., Mayer, J., Mäder, P., Thonar, C., Frossard, E., Schulin, R., & Tandy, S. (2019). Long-term organic matter application reduces cadmium but not zinc concentrations in wheat. *Science of the Total Environment* 669, 608-620.
38. Hammelehl, A., Oberson, A., Lüscher, A., Mäder, P., & Mayer, J. (2018). Above- and belowground nitrogen distribution of a red clover-perennial ryegrass sward along a soil nutrient availability gradient established by organic and conventional cropping systems. *Plant and Soil* 425(1), 507-525.
39. Hartmann, M., & Widmer, F. (2006). Community structure analyses are more sensitive to differences in soil bacterial communities than anonymous diversity indices. *Applied and Environmental Microbiology* 72(12), 7804-7812.
40. Hartmann, M., Fließbach, A., Oberholzer, H.-R., & Widmer, F. (2006). Ranking the magnitude of crop and farming system effects on soil microbial biomass and genetic structure of bacterial communities. *FEMS Microbiology Ecology* 57, 378-388.
41. Hartmann, M., Frey, B., Kölliker, R., & Widmer, F. (2005). Semi-automated genetic analyses of soil microbial communities: comparison of T-RFLP and RISA based on descriptive and discriminative statistical approaches. *Journal of Microbiological Methods* 61, 349- 360.
42. Hartmann, M., Frey, B., Mayer, J., Mäder, P., & Widmer, F. (2015). Distinct soil microbial diversity under long-term organic and conventional farming. *The ISME Journal* 9, 1177.
43. Haubert, D., Birkhofer, K., Fließbach, A., Gehre, M., Scheu, S., & Ruess, L. (2009). Trophic structure and major trophic links in conventional versus organic farming systems as indicated by carbon stable isotope ratios of fatty acids. *Oikos* 118(10), 1579-1589.
44. Heger, T. J., Straub, F., & Mitchell, E. A. D. (2012). Impact of farming practices on soil diatoms and testate amoebae: A pilot study in the DOK-trial at Therwil, Switzerland. *European Journal of Soil Biology* 49(0), 31-36.
45. Hijri, I., Sykorova, Z., Oehl, F., Ineichen, K., Mäder, P., Wiemken, A., & Redecker, D. (2006). Communities of arbuscular mycorrhizal fungi in arable soils are not necessarily low in diversity. *Molecular Ecology* 15, 2277-2289.
46. Hildermann, I., Messmer, M., Dubois, D., Boller, T., Wiemken, A., & Mäder, P. (2010). Nutrient use efficiency and arbuscular mycorrhizal root colonisation of winter wheat cultivars in different farming systems of the DOK long-term trial. *Journal of the Science of Food and Agriculture* 90(12), 2027-2038.
47. Hildermann, I., Thommen, A., Dubois, D., Boller, T., Wiemken, A., & Mäder, P. (2009). Yield and baking quality of winter wheat cultivars in different farming systems of the DOK long-term trial. *Journal of the Science of Food and Agriculture* 89(14), 2477-2491.
48. Hirte, J., Leifeld, J., Abiven, S., & Mayer, J. (2018). Maize and wheat root biomass, vertical distribution, and size class as affected by fertilization intensity in two long-term field trials. *Field Crops Research* 216, 197-208.
49. Hirte, J., Leifeld, J., Abiven, S., Oberholzer, H.-R., Hammelehl, A., & Mayer, J. (2017). Overestimation of crop root biomass in field experiments due to extraneous organic matter. *Frontiers in Plant Science* 8(284).
50. Jaffuel, G., Mäder, P., Blanco-Perez, R., Chiriboga, X., Fließbach, A., Turlings, T. C. J., & Campos-Herrera, R. (2016). Prevalence and activity of entomopathogenic nematodes and their antagonists in soils that are subject to different agricultural practices. *Agriculture, Ecosystems & Environment* 230, 329-340.
51. Joergensen, R., Mäder, P., & Fließbach, A. (2010). Long-term effects of organic farming on fungal and bacterial residues in relation to microbial energy metabolism. *Biology and Fertility of Soils* 46, 303-307.
52. Kahl, J., Busscher, N., Mergardt, G., Mäder, P., Torp, T., & Ploeger, A. (2015). Differentiation of organic and non-organic winter wheat cultivars from a controlled field trial by crystallization patterns. *Journal of the Science of Food and Agriculture* 95(1), 53-58.
53. Keel, S. G., Anken, T., Büchi, L., Chervet, A., Fließbach, A., Flisch, R., Huguenin-Elie, O., Mäder, P., Mayer, J., Sinaj, S., Sturny, W., Wüst-Galley, C., Zihlmann, U., & Leifeld, J. (2019). Loss of soil organic carbon in Swiss long-term agricultural experiments over a wide range of management practices. *Agriculture, Ecosystems & Environment* 286, 106654.
54. Keller, M., Oberson, A., Annheim, K. E., Tamburini, F., Mäder, P., Mayer, J., Frossard, E., & Büinemann, E. K. (2012). Phosphorus forms and enzymatic hydrolyzability of organic phosphorus in soils after 30 years of organic and conventional farming. *Journal of Plant Nutrition and Soil Science* 175(3), 385-393.
55. Kessler, N., Bonte, A., Albaum, S. P., Mäder, P., Messmer, M., Goesmann, A., Niehaus, K., Langenkämper, G., & Nattkemper, T. W. (2015). Learning to classify organic and conventional wheat - a machine learning driven approach using the MelTDB 2.0 metabolomics analysis platform. *Frontiers in Bioengineering and Biotechnology* 3, 35.

56. Knapp, S., Gunst, L., Mäder, P., Ghiasi, S., & Mayer, J. (2023). Organic cropping systems maintain yields but have lower yield levels and yield stability than conventional systems – Results from the DOK trial in Switzerland. *Field Crops Research* 302, 109072.
57. Kost, E., Kundel, D., Conz, R. F., Mäder, P., Krause, H.-M., Six, J., Mayer, J., & Hartmann, M. (2024). Microbial resistance and resilience to drought under organic and conventional farming. *European Journal of Soil Biology*, 2024.04.17.589021. <https://doi.org/10.1016/j.ejsobi.2024.103690>
58. Kozjek, K., Kundel, D., Kushwaha, S. K., Olsson, P. A., Ahrén, D., Fließbach, A., Birkhofer, K., & Hedlund, K. (2021). Long-term agricultural management impacts arbuscular mycorrhizal fungi more than short-term experimental drought. *Applied Soil Ecology* 168, 104140.
59. Krause, H.-M., Thonar, C., Eschenbach, W., Well, R., Mader, P., Behrens, S., Kappler, A., & Gattinger, A. (2017). Long term farming systems affect soils potential for N₂O production and reduction processes under denitrifying conditions. *Soil Biology & Biochemistry* 114, 31-41.
60. Krause, H.-M., Stehle, B., Mayer, J., Mayer, M., Steffens, M., Mäder, P., & Fließbach, A. (2022). Biological soil quality and soil organic carbon change in biodynamic, organic, and conventional farming systems after 42 years. *Agronomy for Sustainable Development* 42(6), 117.
61. Krause, H.-M., Stehle, B., Mayer, J., Mayer, M., Steffens, M., Mäder, P., & Fließbach, A. (2022). Soil organic carbon over 42 years of organic and conventional farming and biological soil quality in year 42 of the DOK long-term field experiment. PANGAEA. DOI 10.1594/PANGAEA.948567
62. Krause, H.-M., Mäder, P., Fließbach, A., Jarosch, K. A., Oberson, A., & Mayer, J. (2024). Organic cropping systems balance environmental impacts and agricultural production. *Scientific Reports* 14, 25537. <https://doi.org/10.1038/s41598-024-76776-1>.
63. Kundel, D., Bodenhausen, N., Jørgensen, H. B., Truu, J., Birkhofer, K., Hedlund, K., Mäder, P., & Fließbach, A. (2020). Effects of simulated drought on biological soil quality, microbial diversity and yields under long-term conventional and organic agriculture. *FEMS Microbiology Ecology* 96(12).
64. Kundel, D., Lori, M., Fließbach, A., Van Kleunen, M., Meyer, S., & Mäder, P. (2021). Drought Effects on Nitrogen Provisioning in Different Agricultural Systems: Insights Gained and Lessons Learned from a Field Experiment. *Nitrogen* 2(1), 1-17.
65. Kundel, D., Meyer, S., Birkhofer, H., Fließbach, A., Mäder, P., Scheu, S., Van Kleunen, M., & Birkhofer, K. (2018). Design and manual to construct rainout-shelters for climate change experiments in agroecosystems. *Frontiers in Environmental Science* 6(14).
66. Langenkämper, G., Zörb, C., Seifert, M., Mäder, P., Fretzdorff, B., & Betsche, T. (2006). Nutritional quality of organic and conventional wheat. *Journal of Applied Botany and Food Quality* 80, 150-154.
67. Langmeier, M., Frossard, E., Kreuzer, M., Mäder, P., Dubois, D., & Oberson, A. (2002). Nitrogen fertilizer value of cattle manure applied on soils originating from organic and conventional farming systems. *Agronomie* 22, 789-800.
68. Leifeld, J., Reiser, R., & Oberholzer, H. R. (2009). Consequences of conventional versus organic farming on soil carbon: Results from a 27-year field experiment. *Agronomy Journal* 101(5), 1204-1218.
69. Lori, M., Piton, G., Symanczik, S., Legay, N., Brussaard, L., Jaenicke, S., Nascimento, E., Reis, F., Sousa, J. P., Mäder, P., Gattinger, A., Clément, J.-C., & Foulquier, A. (2020). Compared to conventional, ecological intensive management promotes beneficial proteolytic soil microbial communities for agro-ecosystem functioning under climate change-induced rain regimes. *Scientific Reports* 10(1), 7296.
70. Lori, M., Symanczik, S., Mäder, P., Efosa, N., Jaenicke, S., Buegger, F., Tresch, S., Goesmann, A., & Gattinger, A. (2018). Distinct nitrogen provisioning from organic amendments in soil as influenced by farming system and water regime. *Frontiers in Environmental Science* 6(40).
71. Lori, M., Symanczik, S., Mäder, P., De Deyn, G., & Gattinger, A. (2017). Organic farming enhances soil microbial abundance and activity – A meta-analysis and meta-regression. *PLOS ONE* 12(7), e0180442.
72. Lori, M., Hartmann, M., Kundel, D., Mayer, J., Mueller, R.C., Mäder, P., Krause H-M. (2023). Soil microbial communities are sensitive to differences in fertilization intensity in organic and conventional farming systems. *FEMS Microbiology Ecology* 99 (6).
73. Mäder, P., & Berner, A. (2012). Development of reduced tillage systems in organic farming in Europe. *Renewable Agriculture and Food Systems* 27(Special Issue 01), 7-11.
74. Mäder, P., Alföldi, T., Niggli, U., Besson, J.-M., & Dubois, D. (1997). Der Wert des DOK-Versuches unter den Aspekten moderner agrarwissenschaftlicher Forschung. *Archiv für Acker-, Pflanzenbau und Bodenkunde* 42, 279-301.
75. Mäder, P., Edenhofer, S., Boller, T., Wiemken, A., & Niggli, U. (2000). Arbuscular mycorrhizae in a long-term field trial comparing low-input (organic, biological) and high-input (conventional) farming systems in a crop rotation. *Biology and Fertility of Soils* 31, 150-156.
76. Mäder, P., Fließbach, A., Dubois, D., Gunst, L., Fried, P., & Niggli, U. (2002). Soil fertility and biodiversity in organic farming. *Science* 296, 1694-1697.
77. Mäder, P., Hahn, D., Dubois, D., Gunst, L., Alföldi, T., Bergmann, H., Oehme, M., Amadô, R., Schneider, H., Graf, U., Velimirov, A., Fließbach, A., & Niggli, U. (2007). Wheat quality in organic and conventional farming: Results of a 21-year old field experiment. *Journal of the Science of Food and Agriculture* 87(10), 1826-1835.
78. Mäder, P., Kaiser, F., Adholeya, A., Singh, R., Uppal, H. S., Sharma, A. K., Srivastava, R., Sahai, V., Aragno, M., Wiemken, A., Johri, B. N., & Fried, P. M. (2011). Inoculation of root microorganisms for sustainable wheat-rice and wheat-black gram rotations in India. *Soil Biology and Biochemistry* 43(3), 609-619.
79. Mäder, P., Pfiffner, L., Niggli, U., Balzer, U., Balzer, F., Plochberger, K., Velimirov, A., & Besson, J.-M. (1993). Effect of three farming systems (bio-dynamic, bio-organic, conventional) on yield and quality of beetroot (*Beta vulgaris L. var. esculenta L.*) in a seven year crop rotation. *Acta Horticulturae* 339, 11-31.
80. Mäder, P., Fließbach, A., Dubois, D., Gunst, L., Fried, P., & Niggli, U. (2002). The Ins and Outs of Organic Farming. FiBL response to the letter of Goklany in Science Vol 298. *Science* 298(5600), 1889-1890.
81. Mäder, P., Fließbach, A., Dubois, D., Gunst, L., Fried, P., & Niggli, U. (2002). Organic Farming and Energy Efficiency. FiBL response to the letter of Zoebel in Science Vol 298. *Science* 298(5600), 1891-1891.
82. Marinari, S., Liburdi, K., Fließbach, A., & Kalbitz, K. (2010). Effects of organic management on water-extractable organic matter and C mineralization in European arable soils. *Soil & Tillage Research* 106(2), 211-217.
83. Mayer, J., Gunst, L., Mäder, P., Samson, M.-F., Carcea, M., Narducci, V., Thomsen, I. K., & Dubois, D. (2015). Productivity, quality and sustainability of winter wheat under long-term conventional and organic management in Switzerland. *European Journal of Agronomy* 65(0), 27-39.
84. Mayer, M., Krause, H.-M., Fließbach, A., Mäder, P., & Steffens, M. (2022). Fertilizer quality and labile soil organic matter fractions are vital for organic carbon sequestration in temperate arable soils within a long-term trial in Switzerland. *Geoderma* 426, 116080.
85. Mosimann, C., Oberhansli, T., Ziegler, D., Nassal, D., Kandeler, E., Boller, T., Mader, P., & Thonar, C. (2017). Tracing of two *Pseudomonas* strains in the root and rhizoplane of maize, as related to their plant growth-promoting effect in contrasting soils. *Frontiers in Microbiology* 7, 14.

86. Necpalova, M., Lee, J., Skinner, C., Büchi, L., Wittwer, R., Gattinger, A., Van Der Heijden, M., Mäder, P., Charles, R., Berner, A., Mayer, J., & Six, J. (2018). Potentials to mitigate greenhouse gas emissions from Swiss agriculture. *Agriculture, Ecosystems & Environment* 265, 84-102.
87. Nemecek, T., Dubois, D., Huguenin-Elie, O., & Gaillard, G. (2006). Life cycle assessment of Swiss organic farming systems. *Aspects of Applied Biology* 79, 15-18.
88. Nemecek, T., Dubois, D., Huguenin-Elie, O., & Gaillard, G. (2011). Life cycle assessment of Swiss farming systems: I. Integrated and organic farming. *Agricultural Systems* 104(3), 217-232.
89. Nemecek, T., Huguenin-Elie, O., Dubois, D., Gaillard, G., Schaller, B., & Chervet, A. (2011). Life cycle assessment of Swiss farming systems: II. Extensive and intensive production. *Agricultural Systems* 104(3), 233-245.
90. Oberson, A., Besson, J. M., Maire, N., & Sticher, H. (1996). Microbiological processes in soil organic phosphorus transformations in conventional and biological cropping systems. *Biology and Fertility of Soils* 21(3), 138-148.
91. Oberson, A., Fardeau, J.-C., Besson, J.-M., & Sticher, H. (1993). Soil phosphorus dynamics in cropping systems managed according to conventional and biological methods. *Biology and Fertility of Soils* 16, 111-117.
92. Oberson, A., Frossard, E., Bühlmann, C., Mayer, J., Mäder, P., & Lüscher, A. (2013). Nitrogen fixation and transfer in grass-clover leys under organic and conventional cropping systems. *Plant and Soil* 371(1), 237-255.
93. Oberson, A., Nanzer, S., Bosshard, C., Dubois, D., Mäder, P., & Frossard, E. (2007). Symbiotic N₂ fixation by soybean in organic and conventional cropping systems estimated by N-15 dilution and N-15 natural abundance. *Plant and Soil* 290(1-2), 69-83.
94. Oberson, A., Tagmann, H., Langmeier, M., Dubois, D., Mäder, P., & Frossard, E. (2010). Fresh and residual phosphorus uptake by ryegrass from soils with different fertilization histories. *Plant and Soil* 334(1), 391-407.
95. Oberson, A., Jarosch, K. A., Frossard, E., Hammelele, A., Fließbach, A., Mäder, P., Mayer J. (2024): Higher than expected: Nitrogen flows, budgets, and use efficiencies over 35 years of organic and conventional cropping. *Agriculture, Ecosystems and Environment* 362, 108802.
96. Oehl, F., Frossard, E., Fließbach, A., Dubois, D., & Oberson, A. (2004). Basal organic phosphorus mineralization in soils under different farming systems. *Soil Biology & Biochemistry* 36, 667-675.
97. Oehl, F., Oberson, A., Probst, M., Fließbach, A., Roth, H. R., & Frossard, E. (2001). Kinetics of microbial phosphorus uptake in cultivated soils. *Biology and Fertility of Soils* 34(1), 31-41.
98. Oehl, F., Oberson, A., Sinaj, S., & Frossard, E. (2001). Organic phosphorus mineralization studies using isotopic dilution techniques. *Soil Science Society of America Journal* 65, 780-787.
99. Oehl, F., Oberson, A., Tagmann, H. U., Besson, J.-M., Dubois, D., Mäder, P., Roth, H.-R., & Frossard, E. (2002). Phosphorus budget and phosphorus availability in soils under organic and conventional farming. *Nutrient Cycling in Agroecosystems* 62, 25-35.
100. Oehl, F., Sieverding, E., Ineichen, K., Mäder, P., Boller, T., & Wiemken, A. (2003). Impact of land use intensity on the species diversity of arbuscular mycorrhizal fungi in agroecosystems of central Europe. *Applied and Environmental Microbiology* 69(5), 2816-2824.
101. Oehl, F., Sieverding, E., Ineichen, K., Mäder, P., Wiemken, A., & Boller, T. (2009). Distinct sporulation dynamics of arbuscular mycorrhizal fungal communities from different agroecosystems in long-term microcosms. *Agriculture, Ecosystems & Environment* 134, 257-268.
102. Oehl, F., Sieverding, E., Mäder, P., Dubois, D., Ineichen, K., Boller, T., & Wiemken, A. (2004). Impact of long-term conventional and organic farming on the diversity of arbuscular mycorrhizal fungi. *Oecologia* 138, 574-583.
103. Pesaro, M., & Widmer, F. (2006). Identification and specific detection of a novel Pseudomonadaceae cluster associated with soils from winter wheat plots of a long-term agricultural field experiment. *Applied and Environmental Microbiology* 72(1), 37-43.
104. Pfiffner, L., & Luka, H. (2007). Earthworm populations in two low-input cereal farming systems. *Applied Soil Ecology* 37(3), 184-191.
105. Pfiffner, L., & Luka, H. (2000). Overwintering of arthropods in soils of arable fields and adjacent semi-natural habitats. *Agriculture, Ecosystems & Environment* 78, 215-222.
106. Pfiffner, L., & Mäder, P. (1997). Effects of biodynamic, organic and conventional production systems on earthworm populations. *Biological Agriculture and Horticulture - Entomological Research in Organic Agriculture* 15, 3-10.
107. Pfiffner, L., Besson, J., & Niggli, U. (1995). DOK-Versuch: Vergleichende Langzeituntersuchungen in den drei Anbausystemen biologisch-dynamisch, organisch-biologisch und konventionell. III. Boden: Untersuchungen über die epigäischen Nutzarthropoden, insbesondere auf die Laufkäfer (Col. Carabidae), in Winterweizenparzellen. *Schweiz. Landw. Forsch. Sonderheft* 1: 1-15.
108. Pfiffner, L., & Niggli, U. (1996). Effects of bio-dynamic, organic and conventional farming on ground beetles (Col. Carabidae) and other epigaeic arthropods in winter wheat. *Biological Agriculture and Horticulture* 12: 353-364.
109. Pfiffner, L. (1993). Long-term effects of biological and conventional farming on earthworm populations. *Zeitschrift für Pflanzenernährung und Bodenkunde* 156(3), 259-265.
110. Rotches-Ribalta, R., Armengot, L., Mäder, P., Mayer, J., & Sans, F. X. (2017). Long-term management affects the community composition of arable soil seedbanks. *Weed Science* 65(1), 73-82.
111. Schärer, M.-L., Dietrich, L., Kundel, D., Mäder, P., & Kahmen, A. (2022). Reduced plant water use can explain higher soil moisture in organic compared to conventional farming systems. *Agriculture, Ecosystems & Environment* 332, 107915.
112. Scheifele, M., Hobi, A., Buegger, F., Gattinger, A., Schulin, R., Boller, T., & Mäder, P. (2017). Impact of pyrochar and hydrochar on soybean (*Glycine max* L.) root nodulation and biological nitrogen fixation. *Journal of Plant Nutrition and Soil Science* 180(2), 199-211.
113. Schneider, S., Hartmann, M., Enkerli, J., & Widmer, F. (2010). Fungal community structure in soils of conventional and organic farming systems. *Fungal Ecology* 3(3), 215-224.
114. Siegrist, S., Schaub, D., Pfiffner, L., & Mäder, P. (1998). Does organic agriculture reduce soil erodibility? The results of a long-term field study on loess in Switzerland. *Agriculture, Ecosystems & Environment* 69, 253-264.
115. Simpson, R.J., Oberson, A., Culvenor, R.A., Ryan, M.H., Veneklaas, E.J., Lambers, H., Lynch, J.P., Ryan, P.R., Delhaize, E., Smith, F.A., Smith, S.E., Harvey, P.R., Richardson, A.E. 2011. Strategies and agronomic interventions to improve the phosphorus-use efficiency of farming systems. *Plant Soil* 349, 89-120.
116. Skinner, C., Gattinger, A., Krauss, M., Krause, H.-M., Mayer, J., Van Der Heijden, M. G. A., & Mäder, P. (2019). The impact of long-term organic farming on soil-derived greenhouse gas emissions. *Scientific Reports* 9(1), 1702.
117. Skinner, C., Gattinger, A., Muller, A., Mäder, P., Fließbach, A., Stolze, M., Ruser, R., & Niggli, U. (2014). Greenhouse gas fluxes from agricultural soils under organic and non-organic management – A global meta-analysis. *Science of The Total Environment* 468–469, 553-563.
118. Stracke, B. A., Eitel, J., Watzl, B., Mäder, P., & Rüfer, C. E. (2009). Influence of the production method on phytochemical concentrations in whole wheat (*Triticum aestivum* L.): A comparative study. *Journal of Agricultural and Food Chemistry* 57(21), 10116-10121.

119. Schwalb, S. A., Li, S., Hemkemeyer, M., Heinze, S., Joergensen, R. G., Mayer, J., Mäder, P., & Wichern, F. (2023). Long-term differences in fertilisation type change the bacteria:archaea:fungi ratios and reveal a heterogeneous response of the soil microbial ionome in a Haplic Luvisol. *Soil Biology and Biochemistry* 177, 108892.
120. Tamm, L., Thürig, B., Bruns, C., Fuchs, J. G., Köpke, U., Laustela, M., Leifert, C., Mahlberg, N., Nietlispach, B., Schmidt, C., Weber, F., & Fließbach, A. (2010). Soil type, management history, and soil amendments influence the development of soil-borne (*Rhizoctonia solani*, *Pythium ultimum*) and air-borne (*Phytophthora infestans*, *Hyaloperonospora parasitica*) diseases. *European Journal of Plant Pathology* 127(4), 465-481.
121. Tamm, L., Thürig, B., Fließbach, A., Goltlieb, A. E., Karavani, S., & Cohen, Y. (2011). Elicitors and soil management to induce resistance against fungal plant diseases. *NJAS - Wageningen Journal of Life Sciences* 58(3-4), 131-137.
122. Thuerig, B., Fließbach, A., Berger, N., Fuchs, J. G., Kraus, N., Mahlberg, N., Nietlispach, B., & Tamm, L. (2009). Re-establishment of suppressiveness to soil- and air-borne diseases by re-inoculation of soil microbial communities. *Soil Biology and Biochemistry* 41(10), 2153-2161.
123. Widmer, F., Rasche, F., Hartmann, M., & Fließbach, A. (2006). Community structures and substrate utilization of bacteria in soils from organic and conventional farming systems of the DOK long-term field experiment. *Applied Soil Ecology* 33(3), 294-307.
124. Woese, K., Lange, D., Boess, C., & Bogl, K. W. (1997). A comparison of organically and conventionally grown foods – Results of a review of the relevant literature. *Journal of the Science of Food and Agriculture* 74(3), 281-293.
125. Zörb, C., Langenkämper, G., Betsche, T., Neehaus, K., & Barsch, A. (2006). Metabolite profiling of wheat grains (*Triticum aestivum* L.) from organic and conventional agriculture. *Journal of Agricultural and Food Chemistry* 54(21), 8301-8306.
126. Zörb, C., Niehaus, K., Barsch, A., Betsche, T., & Langenkämper, G. (2009). Levels of compounds and metabolites in wheat ears and grains in organic and conventional agriculture. *Journal of Agricultural and Food Chemistry* 57(20), 9555-9562.

Buchkapitel

1. FAC, & FiBL. (Eds) (1995). DOK-Versuch: vergleichende Langzeit-Untersuchungen in den drei Anbausystemen biologisch-Dynamisch, Organisch-biologisch und Konventionell. Bern: Bundesamt für Landwirtschaft (BLW).
2. Fließbach, A., Eyhorn, F., Mäder, P., Rentsch, D., & Hany, R. (2001). DOK long-term farming systems trial: Microbial biomass, activity and diversity affect the decomposition of plant residues. In Sustainable Management of Soil Organic Matter Eds R. M. Rees, B. C. Ball, C. D. Campbell & C. A. Watson, pp. 363-369. London: CABI.
3. Fließbach, A., & Mäder, P. (1997). Carbon source utilization by microbial communities in soils under organic and conventional farming practice. In *Microbial Communities – Functional versus Structural Approaches* Eds H. Insam & A. Rangger), pp. 109-120. Berlin: Springer.
4. Frey, B., Brunner, I., Christie, P., Wiemken, A., & Mäder, P. (1998). The use of polytetrafluoroethylene (PTFE) hydrophobic membranes to study transport of 15N by mycorrhizal hyphae. In *Mycorrhiza Manual* (Ed A. Varma), pp. 151-158. Heidelberg: Springer.
5. Frossard, E., Bünenmann, E.K., Gunst, L., Oberson, A., Schärer, M., Tamburini, F. (2016). Fate of fertilizer P in soils the organic pathway. In: Schnug, E., De Kok, L.J. (Eds.), *Phosphorus in agriculture: 100% zero*. Springer Dordrecht, pp. 41-61.
6. Fuchs, J. G., Fließbach, A., Mäder, P., Weibel, F. P., Tamm, L., Mayer, J., & Schleiss, K. (2014). Effects of compost on soil fertility parameters in short-, mid- and long-term field experiments. In *I International Symposium on Organic Matter Management and Compost Use in Horticulture* Eds J. Biala, R. Prange & M. Raviv, pp. 39-46.
7. Krause, H.-M., Fließbach, A., Mayer, J., & Mäder, P. (2020). Chapter 2 - Implementation and management of the DOK long-term system comparison trial. In *Long-Term Farming Systems Research* Eds G. S. Bhullar & A. Riar, pp. 37-51. Academic Press.
8. Mayer, J., & Mäder, P. (2016). Langzeitversuche – Eine Analyse der Ertragsentwicklung. In *Forschung im Ökologischen Landbau* Eds. B. Freyer) pp.421-445 Stuttgart VTB.
9. Mäder, P. (1997). Erhöhte bodenmikrobiologische Aktivität durch ökologischen Landbau. In *Naturschutz durch ökologischen Landbau. Ökologische Konzepte 95* Eds H. Weiger & H. Willer), pp. 49-72. Bad Dürkheim: Deukalion, Stiftung Ökologie und Landbau.
10. Mäder, P., Alföldi, T., Fließbach, A., Pfiffner, L., & Niggli, U. (1999). Agricultural and ecological performance of cropping systems compared in a long-term field trial. In *Nutrient Disequilibria in Agro-ecosystems* Eds E. M. A. Smaling, O. Oenema & L. O. Fesco), pp. 247-264. London, Amsterdam: CABI.
11. Mäder, P., Fließbach, A., Dubois, D., Gunst, L., Jossi, W., Widmer, F., Oberson, A., Frossard, E., Oehl, F., Wiemken, A., Gattinger, A., & Niggli, U. (2006). The DOK experiment (Switzerland). In *Long-term field experiments in organic farming* Eds J. Raupp, C. Pekrun, M. Oltmanns & U. Köpke), pp. 41-58. Bonn: Koester.
12. Oberson, A., Pyper, P., Bünenmann, E., Frossard, E. (2011). Management impacts on biological phosphorus cycling in cropped soils In: Bünenmann, E., Oberson, A., Frossard , E. (Eds.), *Phosphorus in action - Biological processes in soil phosphorus cycling*. Springer Soil Biology Series, pp. 431-458.
13. Pfiffner, L., & Armengot L. (2019). Biodiversity as a prerequisite of sustainable organic farming. In : Köpke, U. (Ed.), *Improving organic crop cultivation , Chapter 16 : 401-433*. Burleigh Dodds Science Publishing, Cambridge, UK (ISBN: 978-1-78676-184-2; www.bdspublishing.com).